


**EPOCA**  
sprayers since 1968



# TEC-ONE

AS NO ONE



# TEC-ONE 1000



www.tec-one.it



# TEC-ONE 1000



www.tec-one.it



**Gaskets in Fluorinated Hydrocarbon**  
Ideal with oils and mineral fats silicone based, animal and vegetable oils, aliphatic hydrocarbons, aromatic hydrocarbons, very good resistance to weather, ozone, oxygen and sunlight.

**Gaskets in Ethylene-Propylene-Diene**  
Ideal with glycol-based hydraulic fluids and organic and inorganic acids, detergents, solutions of sodium and potassium, oxygenated solvents (ketones and esters), and atmospheric agents.

**Polypropylene Head**

**Polypropylene Head**

- Oxide removal
- Cleaning tire rims
- Inside car cleaning
- Cleaning car bodies
- Glass cleaning
- Cleaning carpeting and wall-coverings
- Cleaning bathroom fixtures

- Washing brakes
- Cleaning garages and workshops
- Cleaning and regenerating tires
- Truck cleaning
- Cleaning tire rims
- Cleaning car bodies
- Cleaning glass
- Cleaning inside the car
- Cleaning carpeting and wall-coverings
- Cleaning bathroom fixtures

**Durable**  
TEC-ONE 1000 FPM has fluorocarbon rubber gaskets and the structural parts of the head are made from strong, totally-recyclable polypropylene. Designed to satisfy the needs of a demanding market where extreme performance is the order of the day. This pump is highly-resistant to corrosive products, silicone mineral oils (vegetable and animal), hydraulic and synthetic fluids, many acids and many organic solutions.

**Mission possible**  
TEC-ONE 1000 EPDM has gaskets made of Ethylene-Propylene-Diene rubber and the structural parts of the head are made of strong, totally-recyclable polypropylene. It was designed to meet the needs of a market that uses chemicals based on alkalines (sodium, potassium, lithium, etc.). Widely used for cleaning brakes, it is specifically used with detergents for washing cars, liquid waxes, glass cleaners and disinfectants.



Oxide removal.



Cleaning tire rims.



Inside car cleaning.



Washing brakes.



Cleaning garages and workshops.



Cleaning and regenerating tires.

# TEC-ONE 1000



www.tec-one.it



**Gaskets in Fluorinated Hydrocarbon**  
Ideal with oils and mineral fats silicone based, animal and vegetable oils, aliphatic hydrocarbons, aromatic hydrocarbons, very good resistance to weather, ozone, oxygen and sunlight.



**Nylon Head**

- Removing tar
- Cleaning engines and frames
- Cleaning engine seals
- Inside car cleaning



**Super tough**  
TEC-ONE 1000 FPM has fluorocarbon rubber gaskets and the structure of the head is very strong nylon. Designed for a market that uses aliphatic and partly aromatic hydrocarbons. Often used with benzene and fuels, for example, to remove tar from equipment. It is also used with lubricants, such as in mechanical workshops.

# TEC-ONE 1000



for manufacturing defects

△ Epoca recommends that you test the compatibility between the liquid products to be used and the components of the pump, including the types of gaskets.



EPOCA SPA  
LOCALITÀ SAN LAZZARO  
VIA SANT'ANDREA 24  
36061 BASSANO DEL GRAPPA VI (ITALY)

Tel. +39 0424 88 49 11 · Fax +39 0424 56 72 46  
info@epocaspa.com · www.epocaspa.com

