

Heavy Duty



 **epoca**[®]
Trust the future

MADE IN ITALY



SINCE 1968 - ∞

We have been manufacturing plastic products for more than 50 years and today we want to do more..

Plastic..a word that commonly refers just to the material itself, has a thousand and more meanings to us.

Plastic things can be given shape and never change it: just like our plastic, floating in the empty space and never losing a bit of its strength and shape.

We want our products to look like this to you today: in their purest expression of form - not only for what they are used for, but for what they are: not just plastic.

We hope we have managed to do that!

Why did we specialize?

To offer an Italian designed product, a manufacture Made in Italy, quality control and efficient logistics, assets, a family, a working group who faces daily challenges to meet your needs.

Why are we innovative?

We want to offer a complete range of dynamic products, with the goal to constantly present novelties. Our aim is to allow you to renew your offer for your customers. **EPOCA** has been thoroughly selecting for years to reinvest company profits - and innovation and research are the most important sources for this choice.

Why are we attractive and efficient?

For the care and attention that we put into every communication detail, from labels to instruction sheets, from packaging to advertising brochures that appear in specialized magazines in Italy and abroad. We are efficient in communication on the internet, media and social network too, and we take part, along with our distributors' network, to several international trade fairs and other events of geo-local marketing.

Why are we reliable?

For our attention with respect to deliveries, and the strict checking adopted by our Quality Control System. In addition, we assure you to supply the products you've invested in with optimal performance standards – and in no time.

CLEAR AND DETERMINATE GOALS

THREE is the common denominator of EPOCA's philosophy today,

THREE because three are the sisters leading the company

THREE because three are the core areas of business, **THREE** like the three generations we care aiming at in the process of a generational relay,

THREE because three are the aspects that we treat with the utmost care: Customers, Products and Environment.

Why are we solid?

To ensure you a feeling of solidity, and not just an image. Our increase in business volume and our growing presence into new markets, as well as consolidation of **EPOCA**'s historical markets, are the result of a conscious selection and of a strong will of growth in Italy. The reverse of tendency is definitely a difficult decision, but it's one choice we continue to believe in.

Why are we sustainable?

To offer hope to the environment and the opportunity for you to raise awareness among your customers in taking care, through daily activities, of a planet that we are ethically obliged to leave healthy to our children. Today 30% of our products are made of regenerated plastics, but in 2010 we were the first to build a market-leading line of items (Ecolove) with recycled plastic -and we have no intention to change direction. The choice of using recycled materials for our cardboard recyclable packaging, and to print our catalogues on FSC certified paper, has led us to the remarkable result of using more than 60% of recycled cartons, which are, of course, 100% recyclable.

Why do we stand in solidarity?

To give hope to those who really need help support programs that promote health, human rights and education for adults and children (Doctors without Borders, the League of Golden Thread, AIRC, UNICEF and others). But the roots of solidarity within the company lie in the family members, who, all together, find the energy and the ability to solve problems, passing on to the employees a sense of belonging, source of tireless daily work. The sense of belonging which characterizes every member of Epoca is the engine of our success.



HEAVY DUTY

Heavy duty line includes **sturdy and efficient hand sprayers, pressure sprayers** (from 1 up to 10 litres) and a **Knapsack sprayer**.

Heavy Duty line pressure sprayers are fitted with **NBR** (nitrile rubber), **EPDM** (Ethylene-Propylene-Diene) and **VITON** (fluorocarbon rubber) seals. NBR seals are specific for water based and non-aggressive products while EPDM and VITON seals ensure higher compatibility with many chemical solutions.

NBR sprayers are mainly used to spray disinfectants and for sanitization purposes; as for building, they can be employed to moisten surfaces during special processes.

In agriculture, they are widely used with phytosanitary products, herbicide, and for pest control operation.

Products with EPDM seals are widely used in the car-care and they are an indispensable item for the car wash.

They can be used with professional detergents, liquid wax, window cleaners, and other chemicals such as engine cleaners, while those in VITON can be used in accurate cleaning operations with disinfectant and/or degreaser products, or in metal-cleaning operations. They may be also used for disinfection with chemical germicides.

HAND SPRAYERS

Hand sprayers are composed by professional trigger sprayers and transparent bottles.

Hand sprayers have adjustable nozzle and **silk-screen printed graduated scale** or **embossed graduated scale**.

Customization with silk-screen printing or private label is also available.

PRESSURE SPRAYERS

Pressure sprayers up to 2 litres capacity are fitted with a **polypropylene head** with **plastic or metal pumping rod** and one version is with a fully **Polyamide (PA)** head. Their nozzle is adjustable from fine mist to straight jet (that goes up to 7 m maximum length) while tanks are made of a special chemical-resistant material. Some of the pressure sprayers are also fitted with a **safety valve** for automatic and manual depressurization at 3 bar while others have a **patented device that blocks the lever in a continuous spray position**.

As for the hand sprayers, pressure sprayers have a transparent tank and can be customizable with silk-screen printing or with private label.

The **5, 7 and 10 litres sprayers** have **sturdy tank** made of chemical-resistant plastic material and a strong plastic pumping rod. Tanks are in transparent colour and they have an **embossed graduated scale** to monitor easily the level of the content of the tank. They are fitted with a **3 bar safety valve, a wide stability base** and a wide funnel opening for easy filling. Spray lance has an adjustable nozzle and a comfortable handle that allows to get the maximum jet with a minimum effort. Many different types of lances and nozzles are available as accessories.

These sprayers can be customized with private label and customized box.



KNAPSACK SPRAYER

Knapsack sprayer is made of transparent plastic material that allows to check easily its content. It is equipped with a contoured container, shaped to comfortably fit the operators' back, and padded adjustable straps. Thanks to a **1100 ml pumping system capacity** - one of the biggest in the market - **TEC 16** is ideal for spraying on large areas, with less effort than ever before: **Epoca's patented Automatic Decompression System** allows the lever to be light during the whole process of application. It can be settled both for right-handed and for left-handed and the anatomic structure of the lever is designed to facilitate user's operation. Moreover a wide range of different accessories such as lances, lance extensions cone shield, and special nozzles is available.

TEC 10 WATER TANK

TEC 10 WATER TANK is a manual pressure sprayer for the suppression of the dust in various working environments. This pressure sprayer can be connected through a 4 m long hose with a quick connector to diamond blade tools such as power cutters and core drills. These pressurized water tank provide a mobile water supply and ensure a clean, wet cutting without dust build up. In addition, water supply maintains blade temperature low increasing its lifetime. These two models are fitted with natural clear sturdy tank that helps constantly monitoring water level.

TEC FOAMER

Heavy duty line includes **TEC Foamers** range that is composed by professional foamer sprayers. These particular pressure sprayers feature a powerful 110° degrees foam nozzle that makes them perfect in any cleaning situation where foam is necessary to loosen stubborn dirt effortlessly. Foamer sprayers are available in 1, 2 and 10 litres capacity and whether in **VITON** (Fluorinated Hydrocarbon) or **EPDM** (Ethylene-Propylene-Diene) seals. While the 1 and 2 Litres versions are meant to be used in small to medium size areas, 10 litres pumps are equipped with a robust nozzle, and they can be used on vast areas – such as to clean glass walls, truck trailers or to wash cars.

NBR

Gaskets in nitrile rubber
Products with NBR seals are suitable to spray water-based detergents and non-aggressive products.

EPDM

Gaskets in Ethylene-Propylene Diene Monomer
Products with EPDM seals are designed to withstand most alkali products and ketones (including acetone). They have good resistance with alcohols and solutions with a 20% max of acetic acid.

VITON

Gaskets in fluorocarbon-based synthetic rubber.
Products with Viton seals can grant great compatibility with many different chemicals. They are generally suitable to spray acids as well as slightly alkaline agents. Within Viton products there is a special version (PA Viton) that is suitable to spray aromatic and aliphatic hydrocarbons, oils and petroleum-based products.

Epoca recommends to test the compatibility between the chemical and the components of the pump (material and gaskets). For further info please view our compatibility table at page 19.



EP01 + MAXI



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml 1035
 Output ml 2,2
 Nozzle adjustable
 Packing bulk

PLUS

- bottle with printed graduated scale in % and in ml
 - watertight

CODE	GASKET	VERSION	SPRAY COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
12856	NBR	with label	white-red	natural clear	8003916 110438	18	37,5 x 29,0 x 46,0	2,67	0,050	38	684
12855	NBR	anonymous	white-red	natural clear		18	37,5 x 29,0 x 46,0	2,67	0,050	38	684
12922	EPDM	with label	white-black	natural clear	8003916 110445	18	37,5 x 29,0 x 46,0	2,70	0,050	38	684
12921	EPDM	anonymous	white-black	natural clear		18	37,5 x 29,0 x 46,0	2,70	0,050	38	684
12918	VITON	with label	white-blue	natural clear	8003916 110452	18	37,5 x 29,0 x 46,0	2,70	0,050	38	684
12916	VITON	anonymous	white-blue	natural clear		18	37,5 x 29,0 x 46,0	2,70	0,050	38	684

EP10 + MAXI



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml 630
 Output ml 2,2
 Nozzle adjustable
 Packing bulk

PLUS

- bottle with embossed graduated scale in ml and dilution scale in %
 - watertight

CODE	GASKET	VERSION	SPRAY COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
13601	NBR	with label	white-red	natural clear	8003916 110490	32	37,5 x 29,0 x 46,0	3,59	0,050	38	1216
13599	NBR	anonymous	white-red	natural clear		32	37,5 x 29,0 x 46,0	3,59	0,050	38	1216
13658	EPDM	with label	white-black	natural clear	8003916 110506	32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216
13657	EPDM	anonymous	white-black	natural clear		32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216
13655	VITON	with label	white-blue	natural clear	8003916 110513	32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216
13654	VITON	anonymous	white-blue	natural clear		32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216

EP02 + MAXI



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml 520
 Output ml 2,2
 Nozzle adjustable
 Packing bulk

PLUS

- watertight

CODE	GASKET	VERSION	SPRAY COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
13060	NBR	with label	white-red	natural clear	8003916 110469	40	37,5 x 29,0 x 46,0	4,02	0,050	38	1520
13054	NBR	anonymous	white-red	natural clear		40	37,5 x 29,0 x 46,0	4,02	0,050	38	1520
13084	EPDM	with label	white-black	natural clear	8003916 110476	40	37,5 x 29,0 x 46,0	4,06	0,050	38	1520
13083	EPDM	anonymous	white-black	natural clear		40	37,5 x 29,0 x 46,0	4,06	0,050	38	1520
13081	VITON	with label	white-blue	natural clear	8003916 110483	40	37,5 x 29,0 x 46,0	4,06	0,050	38	1520
13080	VITON	anonymous	white-blue	natural clear		40	37,5 x 29,0 x 46,0	4,06	0,050	38	1520

EP10 + VELA



TECHNICAL SPECIFICATIONS

Total capacity ml 630
 Output ml 1,3
 Nozzle adjustable
 Packing bulk

PLUS

- bottle with embossed graduated scale in ml and dilution scale in %
 - watertight

CODE	VERSION	SPRAY COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
					PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
13719	with label	white-blue	natural clear	8003916100125	32	37,5 x 29,0 x 46,0	3,46	0,050	38	1216
13717	anonymous	white-blue	natural clear		32	37,5 x 29,0 x 46,0	3,46	0,050	38	1216

TEC ONE 1000



EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	1310
Operating capacity ml	1000
Nozzle	adjustable
Safety valve	yes
Max pressure bar	3
Pumping rod	PP
Packing	bulk

PLUS

- head structure in resistant polypropylene (PP)
- automatic depressurization at 3 bar. It can also be used manually for releasing the pressure (necessary prior to opening the container)
- equipped with a protection cap that protects the non-return valve from direct liquid contact prolonging its lifetime

CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
20544	EPDM	with label	gray-black	natural clear	8003916060900	11	39,0 x 30,0 x 46,3	5,13	0,054	38	418
20542	EPDM	anonymous	gray-black	natural clear		11	39,0 x 30,0 x 46,3	5,13	0,054	38	418
20539	VITON	with label	black-blue	natural clear	8003916060894	11	39,0 x 30,0 x 46,3	5,13	0,054	38	418
20537	VITON	anonymous	black-blue	natural clear		11	39,0 x 30,0 x 46,3	5,13	0,054	38	418

EP TEC 1000



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	1310
Operating capacity ml	1000
Nozzle	adjustable
Pumping rod	PP
Packing	bulk

PLUS

- fitted with a patented device that blocks the lever in a continuous spray position

CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
20444	NBR	with label	red-white	natural clear	8003916060511	11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
20443	NBR	anonymous	red-white	natural clear		11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
20417	EPDM	with label	gray-black	natural clear	8003916060535	11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
21601	EPDM	anonymous	gray-black	natural clear		11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
20410	VITON	with label	blue-white	natural clear	8003916060528	11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
20408	VITON	anonymous	blue-white	natural clear		11	39,0 x 30,0 x 46,3	4,79	0,054	38	418

TEC ONE 1000 PA VITON



VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	1310
Operating capacity ml	1000
Nozzle	adjustable
Safety valve	yes
Max pressure bar	3
Pumping rod	PP
Packing	bulk

PLUS

- head structure in resistant nylon (PA)
- automatic depressurization at 3 bar. It can also be used manually for releasing the pressure (necessary prior to opening the container)
- equipped with a protection cap that protects the non-return valve from direct liquid contact prolonging its lifetime

CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
20518	VITON	with label	black-blue	natural clear	8003916060962	11	39,0 x 30,0 x 46,3	5,69	0,054	38	418
20517	VITON	anonymous	black-blue	natural clear		11	39,0 x 30,0 x 46,3	5,69	0,054	38	418

DELTA TEC 1



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	1260
Operating capacity ml	1000
Nozzle	adjustable
Pumping rod	PP
Packing	bulk

PLUS

- fitted with a patented device that blocks the lever in a continuous spray position

CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
18993	NBR	with label	red-white	natural clear	8003916060238	12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
18991	NBR	anonymous	red-white	natural clear		12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
18974	EPDM	with label	gray-black	natural clear	8003916060252	12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
18972	EPDM	anonymous	gray-black	natural clear		12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
18943	VITON	with label	blue-white	natural clear	8003916060245	12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
18941	VITON	anonymous	blue-white	natural clear		12	37,5 x 29,0 x 46,0	5,35	0,050	38	456

DELTA TEC 2



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml 1710
 Operating capacity ml 1500
 Nozzle adjustable
 Pumping rod PP
 Packing bulk

PLUS

- fitted with a patented device that blocks the lever in a continuous spray position



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX			EURO PALLET		
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
19411	NBR	with label	red-white	natural clear	8003916060269	12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
19409	NBR	anonymous	red-white	natural clear		12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
19363	EPDM	with label	gray-black	natural clear	8003916060283	12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
19359	EPDM	anonymous	gray-black	natural clear		12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
19328	VITON	with label	blue-white	natural clear	8003916060276	12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
19324	VITON	anonymous	blue-white	natural clear		12	39,0 x 30,0 x 46,3	5,72	0,054	38	456

ALFA TEC



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml 2000
 Operating capacity ml 1800
 Nozzle adjustable
 Pumping rod PP
 Packing bulk

PLUS

- fitted with a patented device that blocks the lever in a continuous spray position



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX			EURO PALLET		
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
20009	NBR	with label	red-white	natural clear	8003916060214	8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
20008	NBR	anonymous	red-white	natural clear		8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
19976	EPDM	with label	gray-black	natural clear	8003916060221	8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
19975	EPDM	anonymous	gray-black	natural clear		8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
19956	VITON	with label	blue-white	natural clear	8003916060177	8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
19955	VITON	anonymous	blue-white	natural clear		8	37,5 x 29,0 x 46,0	4,46	0,050	38	304

EPOCA 2000 PROFESSIONAL



NBR

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml 2000
 Operating capacity ml 1800
 Nozzle adjustable
 Pumping rod zinc coated iron
 Packing bulk

PLUS

- fitted with a patented device that blocks the lever in a continuous spray position



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX			EURO PALLET		
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
20102	NBR	with label	red-white	natural clear	8003916130085	8	37,5 x 29,0 x 46,0	4,90	0,050	38	304
20099	NBR	anonymous	red-white	natural clear		8	37,5 x 29,0 x 46,0	4,90	0,050	38	304
20123	VITON	with label	blue-white	natural clear	8003916060139	8	37,5 x 29,0 x 46,0	4,90	0,050	38	304
20122	VITON	anonymous	blue-white	natural clear		8	37,5 x 29,0 x 46,0	4,90	0,050	38	304

EPOCA 2000 K PROFESSIONAL



VITON

TECHNICAL SPECIFICATIONS

Total capacity ml 2000
 Operating capacity ml 1800
 Nozzle adjustable
 Safety valve yes
 Max pressure bar 3
 Pumping rod zinc coated iron
 Packing shrink-wrap

PLUS

- straight rigid Long Spray 08 complete version, extension length cm 25 with brass nozzle
 - 3 bar safety release valve
 - fitted with a patented device that blocks the lever in a continuous spray position
 - brass nozzle



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX			EURO PALLET		
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
19932	VITON	with label	blue-white	natural clear	8003916060672	8	39,0 x 30,0 x 46,3	5,28	0,054	38	304
19930	VITON	anonymous	blue-white	natural clear		8	39,0 x 30,0 x 46,3	5,28	0,054	38	304

ALFA TEC V



VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	2000
Operating capacity ml	1800
Nozzle	adjustable
Safety valve	yes
Max pressure bar	3
Pumping rod	PP
Packing	bulk

PLUS

- 3 bar release valve
- fitted with a patented device that blocks the lever in a continuous spray position



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	BOX				EURO PALLET	
					PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
19900	VITON	with label	blue-white-yellow	natural clear	8	37,5 x 29,0 x 46,0	4,49	0,050	38	304
19899	VITON	anonymous	blue-white-yellow	natural clear	8	37,5 x 29,0 x 46,0	4,49	0,050	38	304

TEC 7



NBR



VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	6860
Operating capacity ml	6200
Safety valve	yes
Max pressure bar	3
Packing	single box

PLUS

- 45,5 cm plastic wand
- adjustable 120 cm shoulder strap
- 1,4 m hose
- sturdy tank made of chemical-resistant plastic material
- wide stability base



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
23796	NBR	with label	red-black	natural clear	8003916066933	1	19,5 x 19,5 x 46,5	2,07	0,018	105	105
23797	NBR	anonymous	red-black	natural clear		1	19,5 x 19,5 x 46,5	2,07	0,018	105	105
23767	VITON	with label	blue-black	natural clear	8003916066957	1	19,5 x 19,5 x 46,5	2,07	0,018	105	105
23820	VITON	anonymous	blue-black	natural clear		1	19,5 x 19,5 x 46,5	2,07	0,018	105	105

PRESSURE SPRAYERS 5-10 LITRES

TEC 5



NBR

EPDM

VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	5540
Operating capacity ml	4900
Safety valve	yes
Max pressure bar	3
Packing	single box

PLUS

- 40,5 cm plastic wand
- adjustable 120 cm shoulder strap
- 1,4 m hose
- sturdy tank made of chemical-resistant plastic material
- wide stability base



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
23794	NBR	with label	red-black	natural clear	8003916066902	1	19,5 x 19,5 x 41,5	1,93	0,016	120	120
23795	NBR	anonymous	red-black	natural clear		1	19,5 x 19,5 x 41,5	1,93	0,016	120	120
23817	EPDM	with label	black	natural clear	8003916066919	1	19,5 x 19,5 x 41,5	1,93	0,016	120	120
23818	EPDM	anonymous	black	natural clear		1	19,5 x 19,5 x 41,5	1,93	0,016	120	120
23766	VITON	with label	blue-black	natural clear	8003916066926	1	19,5 x 19,5 x 41,5	1,93	0,016	120	120
23819	VITON	anonymous	blue-black	natural clear		1	19,5 x 19,5 x 41,5	1,93	0,016	120	120

TEC 10



NBR



EPDM



VITON

TECHNICAL SPECIFICATIONS

Total capacity ml	9880
Operating capacity ml	9000
Safety valve	yes
Max pressure bar	3
Packing	single box

PLUS

- 45,5 cm plastic wand
- adjustable 120 cm shoulder strap
- 1,4 m hose
- sturdy tank made of chemical-resistant plastic material
- wide stability base



CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
23798	NBR	with label	red-black	natural clear	8003916066964	1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
23816	NBR	anonymous	red-black	natural clear		1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
23822	EPDM	with label	black	natural clear	8003916066971	1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
23823	EPDM	anonymous	black	natural clear		1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
23768	VITON	with label	blue-black	natural clear	8003916066988	1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
23824	VITON	anonymous	blue-black	natural clear		1	19,5 x 19,5 x 56,5	2,30	0,021	88	88

TEC 16


TECHNICAL SPECIFICATIONS

Total capacity ml	15500
Operating capacity ml	14750
Safety valve	yes
Max pressure bar	5
Packing	single box

PLUS

- 54 cm curved plastic wand with flat fan nozzle and adjustable nozzle
- adjustable 120 cm shoulder straps
- 1,4 m hose
- patented automatic decompression system

NBR

CODE	GASKET	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
					PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
21803	NBR	black	natural clear	8003916066346	1	44,0 x 15,0 x 60,5	4,10	0,040	48	48

TEC TWO 2000 FOAMER


EPDM
VITON
TECHNICAL SPECIFICATIONS

Total capacity ml	2000
Operating capacity ml	1000
Nozzle	fan effect
Safety valve	yes
Max pressure bar	3
Pumping rod	PP
Packing	bulk

PLUS

- head structure in resistant polypropylene (PP)
- automatic depressurization at 3 bar. It can also be used manually for releasing the pressure (necessary prior to opening the container).
- equipped with a foam nozzle lance - strong bottle in resistant plastic material - fan effect nozzle, angle at 110°

CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
19771	EPDM	with label	black-gray	natural clear	8003916061143	8	38,5 x 29,0 x 49,5	4,63	0,055	32	256
19770	EPDM	anonymous	black-gray	natural clear		8	38,5 x 29,0 x 49,5	4,63	0,055	32	256
19767	VITON	with label	black-blue	natural clear	8003916061136	8	38,5 x 29,0 x 49,5	4,63	0,055	32	256
19766	VITON	anonymous	black-blue	natural clear		8	38,5 x 29,0 x 49,5	4,63	0,055	32	256

TEC 10 WATER TANK

TEC 10 WATER TANK
NEW

TECHNICAL SPECIFICATIONS


Total capacity ml	9880
Operating capacity ml	9000
Gasket	NBR
Safety valve	yes
Packing	single box

PLUS

- exit support spring
- water stop hose connector
- fully braided 4 m long hose
- sturdy tank made of chemical-resistant plastic material
- extra wide stability base
- safety valve
- brass internal connector

CODE	GASKET	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX				EURO PALLET	
					PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m ³)	CTN/PLT	PCS/PLT
24255	EPDM	black	natural clear	8003916067190	1	19,5 x 19,5 x 56,5	2,64	0,021	88	88
24256	EPDM	black	natural clear		1	19,5 x 19,5 x 56,5	2,64	0,021	88	88

SPACERS TO ADJUST FOAM CONSISTENCY for TEC TWO 2000 FOAMER



The foaming texture you wish to attain can be adjusted using the plastic spacer.

Just unscrew the nozzle and remove the felt disc and apply the required plastic spacer as per this scheme.

TOP TEC 10 FOAMER



EPDM

VITON

TECHNICAL SPECIFICATIONS


Total capacity ml	9900
Operating capacity ml	5000
Safety valve	yes
Max pressure bar	3
Packing	single box

PLUS

- strong tank in resistant plastic material
- adjustable 120 cm shoulder strap
- 1,4 m hose
- equipped with a foam nozzle lance
- fan effect nozzle, angle at 110°
- wide stability base

CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	BOX			EURO PALLET		
						PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m³)	CTN/PLT	PCS/PLT
23841	EPDM	with label	black	natural clear	8003916066995	1	19,5 x 19,5 x 56,5	2,44	0,021	88	88
23842	EPDM	anonymous	black	natural clear		1	19,5 x 19,5 x 56,5	2,44	0,021	88	88
23843	VITON	with label	blue-black	natural clear	8003916067008	1	19,5 x 19,5 x 56,5	2,44	0,021	88	88
23844	VITON	anonymous	blue-black	natural clear		1	19,5 x 19,5 x 56,5	2,44	0,021	88	88

SPACERS TO ADJUST FOAM CONSISTENCY for TOP TEC 10 FOAMER



The foaming texture you wish to attain can be adjusted using the plastic spacer.

Just unscrew the nozzle and remove the felt disc and apply the required plastic spacer as per this scheme.

CUSTOMIZATION

According to your requirements we are able to customize your sprayers with your own colour, printed logo, label, user manual, customized box and special nozzles.

Get in touch with us to find out more about all customization options!



ACCESSORIES

In addition to all spare parts that you can find in the spare parts catalogue we also offer a wide range of accessories to enhance the performances of your pressure sprayer

ACCESSORIES FOR 0-2 LITER PRESSURE SPRAYERS



RIF.	CODE	NAME AND PRODUCT DESCRIPTION	EAN CODE
1	22861	Long Spray P08 rigid straight	-
2	22814	Long Spray P08 rigid curved	-
3	22829	Long Spray 08 flexible	-
4	CZ9947	Extension kit plastic nozzle	8003916090471
5	CZ9942	Extension kit brass nozzle	8003916090389
6	24432	Cap NBR	-
6	24433	Cap Viton	-
6	24434	Cap EPDM	-
7	03992	PP Lance with Flat fan nozzle	-
8	24272	PA Lance with Flat fan nozzle	-

COMPATIBILITY TABLE

		NBR	EPDM PP	VITON PP	VITON PA
ACIDS	ACETIC ACID (MAX 20%)	●	●	●	●
	HYDROCHLORIC ACID (MAX 30%)	●	●	●	●
	HYDROFLUORIC ACID (MAX 20%)	●	●	●	●
	PHOSPHORIC ACID	●	●	●	●
	NITRIC ACID (MAX 30%)	●	●	●	●
	SULPHURIC ACID (MAX 20%)	●	●	●	●
	CITRIC ACID	●	●	●	●
	AQUA REGIA	●	●	●	●
	OTHER ACIDS	●	●	●	●
ALIPHATIC HYDROCARBONS	DECANE	●	●	●	●
	HEPTANE	●	●	●	●
	HEXANE	●	●	●	●
	PENTANE	●	●	●	●
AROMATIC HYDROCARBONS	LIMONENE	●	●	●	●
	NAPHTHALENE	●	●	●	●
	TOULENE (MAX 40%)	●	●	●	●
OILS AND PETROLIUM PRODUCT	XYLENE	●	●	●	●
	MINERAL VEGETAL OIL	●	●	●	●
	DIESEL	●	●	●	●
	GASOLINE	●	●	●	●
	KEROSENE	●	●	●	●
ALCOHOLS	TURPENTINE (WHITE SPIRIT)	●	●	●	●
	BUTANOL	●	●	●	●
	ETHANOL	●	●	●	●
	METHANOL	●	●	●	●
ALKALINE AND KETONES	OTHER ALCOHOLS	●	●	●	●
	ACETONE	●	●	●	●
	AMMONIA	●	●	●	●
	METHYL ACETATE	●	●	●	●
	SODIUM HYDROXIDE	●	●	●	●
	SODIUM CARBONATE (SODA)	●	●	●	●
	POTASSIUM HYDROXIDE	●	●	●	●
	BUTYL ACETATE	●	●	●	●
SODIUM HYPOCHLORITE	●	●	●	●	
OTHERS	FORMALDEHYDE	●	●	●	●
	SILICONE OIL	●	●	●	●
	HYDROGEN PEROXIDE	●	●	●	●

- Excellent
- Limited
- Not Recommended

PACKAGING

NOTES



NBR **TEC 5**
EPDM **DIMENSIONS (cm)**
VITON 19,5 x 19,5 x 41,5



NBR **TEC 7**
VITON **DIMENSIONS (cm)**
 19,5 x 19,5 x 46,5



NBR **TEC 10**
EPDM **DIMENSIONS (cm)**
VITON 19,5 x 19,5 x 56,5



EPDM **TOP TEC 10 FOAMER**
VITON **DIMENSIONS (cm)**
 19,5 x 19,5 x 56,5

A series of horizontal lines for writing notes, spanning the right side of the page.



EPOCA SPA
LOCALITÀ SAN LAZZARO
VIA SANT'ANDREA 24
36061 BASSANO DEL GRAPPA (VI) - ITALY

Tel. +39 0424 88 49 11 - Fax +39 0424 56 72 46
info@epocaspa.com - www.epocaspa.com



EN